Actuator LA33
With endstop reached and absolute positioning - PWM





## **Connection diagram**

33XXXXXXXX0FXXXX=XXXXXAXXXXXX

M		BROWN BLUE	Power 2 1	AMP 2	Deutsch
			Signal	AN 65 —	
	Supply for feedback	+ RED	2		
PWM 50% 50%	Digital feedback	VIOLET	4	Deut	sch
	Digital output	YELLOW	5	المركب	_50
	Digital output	GREEN	6		
	Supply for feedback	- BLACK	1		



If you wish to use the endstop signals, you will have to keep power on the Brown, Blue, Red and Black wires, otherwise the signal will be lost.

The signal power must be turned on at all times when the actuator is running, and minimum one second before it starts to run.

## I/O specifications

Input/Output	Specification	Comments		
Description	The actuator can be equipped with an electronic circuit that gives an analogue feedback signal when the actuator moves.	PWM 50% 50%		
Brown	12 - 24 V DC (+/-) 12 V ± 20 % 24 V ± 10 %	To extend actuator: Connect Brown to positive To retract actuator: Connect Brown to negative		
Blue	Under normal conditions: 12 V, max. 13 A 24 V, max. 9 A	To extend actuator: Connect Blue to negative To retract actuator: Connect Blue to positive		
Red	Signal power supply (+) 12-24 V DC	Current consumption:		
Black	Signal power supply GND (-)	Max. 60 mA during run and pause There will be accrued a higher inrush current		
Green	Endstop reached out	Output voltage min. V <sub>IN</sub> - 2 V Source current max. 100 mA NOT potential free		
Yellow	Endstop reached in			
Violet	Digital output feedback (PNP) 10-90 % (Option 5) 20-80 % (Option 6)	Output voltage min. V <sub>IN</sub> - 2 V Tolerances +/- 2 % Max. current output: 12 mA Frequency: 75 Hz		
White	Not to be connected			

## Terms of use

Terms of use
LINAK® takes great care in providing accurate and up-to-date information on its products. However, the
user is responsible for determining the suitability of LINAK products for a specific application.
Due to continual development, LINAK products are subject to frequent modifications and changes.
LINAK reserves the rights to conduct modifications, updates, and changes without any prior notice. For
the same reason, LINAK cannot guarantee the correctness and actual status of imprinted information on
its products.

LINAK uses its best efforts to fulfil orders. However, for the reasons mentioned above, LINAK cannot guarantee availability of any particular product at any given time. LINAK reserves the right to discontinue the sale of any product displayed on its website or listed in its catalogues or in other written material created and produced by LINAK, LINAK subsidiaries, or LINAK affiliates.

All sales are subject to the "Standard Terms of Sale and Delivery for LINAK A/S" available on LINAK websites. LINAK and the LINAK logotype are registered trademarks of LINAK A/S. All rights reserved.

