





Actuator LA33
Relative positioning - Single hall
Connection diagram

Connection diagram

33XXXXXXXXX0KXXX=XXXX0XXXXXXXXX




Power




AMP

Standard signal cabel






DEUTSCH

Standard signal cabel



I/O Specifications

Input/Output	Specification	Comments
Description	The actuator can be equipped with Single hall that gives a relative positioning feedback signal when the actuator moves.	
Brown	12 or 24 VDC (+/-) 12 V ± 20 % 24 V ± 10 % Under normal conditions:	To extend actuator: Connect Brown to positive To retract actuator: Connect Brown to negative
Blue	12 V, max. 13 A depending on load 24 V, max. 9 A depending on load	To extend actuator: Connect Blue to negative To retract actuator: Connect Blue to positive
Red	Signal power supply (+) 12-24 VDC	Current consumption: Max. 40 mA, also when the actuator is not running
Black	Signal power supply GND (-)	
Green	Not to be connected	
Yellow	Not to be connected	
Violet	Single Hall output (PNP) Movement per Single Hall pulse: 33090: Actuator = 0.3 mm per count 33150: Actuator = 0.5 mm per count 33200: Actuator = 1.1 mm per count Frequency: Frequency is up to 125 Hz on Single Hall output depending on load and spindle. Overvoltage on the motor can result in shorter pulses.	Output voltage min. $V_{IN} - 2 V$ Max. current output: 12 mA Max. 680 nF N.B. For more precise measurements, please contact LINAK A/S. Low frequency with a high load. Higher frequency with no load.
	<p>Input:</p>  <p>Single hall output:</p> 	
White	Not to be connected	

Terms of use

LINAK® takes great care in providing accurate and up-to-date information on its products. However, the user is responsible for determining the suitability of LINAK® products for a specific application. Due to continuous development, LINAK products are subject to frequent modifications and changes. LINAK reserves the rights to conduct modifications, updates, and changes without any prior notice. For the same reason, LINAK cannot guarantee the correctness and actual status of imprinted information on its products. LINAK uses its best efforts to fulfill orders. However, for the reasons mentioned above, LINAK cannot guarantee availability of any particular product at any given time. LINAK reserves the right to discontinue the sale of any product displayed on its website or listed in its catalogues or in other written material created and produced by LINAK, LINAK subsidiaries, or LINAK affiliates. All sales are subject to the 'Standard Terms of Sale and Delivery for LINAK A/S'. Please contact LINAK for a copy.