



# Switch Mode Power Supply SMPS001-SMPS002 Data sheet

# SMPS001 - SMPS002

The Switch Mode Power Supply SMPS001 or SMPS002 supplies power to various HOMELINE® or DESKLINE® systems used for applications like leisure beds and basic office desks. With an external power supply, the application becomes a low voltage unit. In standby mode, the SMPS has an extremely low power consumption of only 0.1 W. This is what we call ZERO™ technology.

The SMPS001 is a 230 V version and the SMPS002 is a 120 V version.



## Features:

### SMPS001

- Nominal input voltage (mains voltage): 230 V AC  $\pm 10$  %
- Nominal input current: 1.8 A
- Nominal input frequency: 50 Hz

### SMPS002

- Nominal input voltage (mains voltage): 120 V AC  $\pm 10$  %
- Nominal input current: 2.9 A
- Nominal input frequency: 60 Hz

### Common

- Output: 24 V DC 2 A DC (continuous load)  
or Max.  $P_{out} \leq 150$  W (duty cycle load)
- Duty cycle: 10 %  $\approx$  2 minutes continuous use followed by 18 minutes pause
- Plug type: Minifit 2-pole
- Colour: Black (RAL 9005)
- Thermal switch
- Temperature: Operation: 0 to 40 °C  
Storage and transportation: -10 to +70 °C
- Operation Humidity: 20 to 95 %
- Altitude above sea level:  $\leq 2000$  m

## Option:

- Locking device for cable relief

## Usage:

- Compatible with the CBH control box family Basic and Advanced (Advanced must be configured), CBD6DC, TD4 Advanced, TD5 Advanced, LA10 (only SMPS001), LA18, KA20 IC and DESKLINE DL IC systems.

## SMPS001 approvals and standards


- Unit approvals:
  - EN 61558-1:2005 + A1:2009
  - EN 61558-2-16:2009 + A1:2013
  - EN 55032:2015
  - EN 61000-3-2:2014
  - EN 61000-3-3:2013
  - EN 55024:2010 + A1:2015
  - EN 50563:2011 + A1:2013
  - EN 50564:2011
  - EN 50581:2012
- System approvals
  - EN60335-1
  - EN55032, Class B

## SMPS002 approvals and standards

- Unit approvals:
  - UL60950-1
  - FCC Part 15, Class B
  - DoE Level VI
- System approvals
  - UL962
  - FCC Part 15, Class B


Dimensions:

SMPS001



Dimensions:

SMPS002



LINAK® accepts no responsibility for possible errors or inaccuracies in catalogues, brochures, and other material. LINAK reserves the right to change its products without prior notice. LINAK cannot guarantee product availability and reserves the right to discontinue the sale of any product. The user is responsible for determining the suitability of LINAK products for a specific application. All sales are subject to the 'Standard Terms of Sale and Delivery', available on LINAK websites.

LINAK and the LINAK logotype are registered trademarks of LINAK A/S. All rights reserved.